

PowerShell 7.2.6

Copyright (c) Microsoft Corporation.

<https://aka.ms/powershell>

Type 'help' to get help.

A new PowerShell stable release is available: v7.2.7

Upgrade now, or check out the release page at:

<https://aka.ms/PowerShell-Release?tag=v7.2.7>

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXXXXX> Get-SharingPolicy -Identity "Default Sharing Policy" | fl
Domains
```

Get-SharingPolicy: The term 'Get-SharingPolicy' is not recognized as a name of a cmdlet, function, script file, or executable program.

Check the spelling of the name, or if a path was included, verify that the path is correct and try again.

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXXXXX> Connect-ExchangeOnline
```

The module allows access to all existing remote PowerShell (V1) cmdlets in addition to the 9 new, faster, and more reliable cmdlets.

Old Cmdlets	New/Reliable/Faster Cmdlets

Get-CASMailbox	Get-EXOCASMailbox
Get-Mailbox	Get-EXOMailbox
Get-MailboxFolderPermission	Get-EXOMailboxFolderPermission
Get-MailboxFolderStatistics	Get-EXOMailboxFolderStatistics
Get-MailboxPermission	Get-EXOMailboxPermission
Get-MailboxStatistics	Get-EXOMailboxStatistics

```
| Get-MobileDeviceStatistics | Get-EXOMobileDeviceStatistics |
| Get-Recipient | Get-EXORecipient |
| Get-RecipientPermission | Get-EXORecipientPermission |
|-----|
```

To get additional information, run: `Get-Help Connect-ExchangeOnline` or check <https://aka.ms/exops-docs>

Send your product improvement suggestions and feedback to exocmdletpreview@service.microsoft.com. For issues related to the module, contact Microsoft support. Don't use the feedback alias for problems or support issues.

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-SharingPolicy -Identity "Default Sharing Policy" | fl
Domains
```

```
Domains : {Anonymous:CalendarSharingFreeBusyReviewer, *:CalendarSharingFreeBusySimple}
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> get-mailbox xxxxxxxxxxxxxxxx@xxxxxxxxxxxxx.com |
Format-List SharingPolicy
```

```
SharingPolicy : Default Sharing Policy
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-OrganizationConfig | Format-List EwsEnabled
```

```
EwsEnabled :
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Set-OrganizationConfig -EwsEnabled: $true
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-OrganizationConfig | Format-List EwsEnabled
```

```
EwsEnabled : True
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-OrganizationConfig | Format-List  
EwsApplicationAccessPolicy,Ews*List
```

```
EwsApplicationAccessPolicy :
```

```
EwsAllowList      :
```

```
EwsBlockList     :
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Set-OrganizationConfig -  
EwsApplicationAccessPolicy:EnforceAllowList
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Set-OrganizationConfig -EwsAllowList  
@{Add="MicrosoftOWSPersonalBookings"}
```

```
InvalidArgument: EwsApplicationAccessPolicy must be specified if to set EwsAllowList or EwsBlockList.
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-OrganizationConfig | Format-List  
EwsApplicationAccessPolicy,Ews*List
```

```
EwsApplicationAccessPolicy : EnforceAllowList
```

```
EwsAllowList      : {}
```

```
EwsBlockList     :
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Set-OrganizationConfig -EwsAllowList  
@{Add="MicrosoftOWSPersonalBookings"}
```

```
InvalidArgument: EwsApplicationAccessPolicy must be specified if to set EwsAllowList or EwsBlockList.
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-CASMailbox -Identity  
xxxxxxxxxxxxx@xxxxxxxxxxxxx.com | Format-List EwsEnabled
```

EwsEnabled : True

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-CASMailbox -Identity  
xxxxxxxxxxxxx@xxxxxxxxxxxxx.com | Format-List EwsEnabled
```

EwsEnabled : True

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Set-CASMailbox -Identity  
xxxxxxxxxxxxx@xxxxxxxxxxxxx.com -EwsAllowList @{Add="MicrosoftOWSPersonalBookings"}
```

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-CASMailbox -Identity  
xxxxxxxxxxxxx@xxxxxxxxxxxxx.com | Format-List EwsEnabled
```

EwsEnabled : True

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-MailboxPermission
```

cmdlet Get-MailboxPermission at command pipeline position 1

Supply values for the following parameters:

Identity:

Get-MailboxPermission: Cannot process argument transformation on parameter 'Identity'. Cannot convert value "" to type "Microsoft.Exchange.Configuration.Tasks.MailboxIdParameter". Error: "Parameter values of type Microsoft.Exchange.Configuration.Tasks.MailboxIdParameter can't be empty. Specify a value, and try again.

Parameter name: identity"

```
PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX> Get-MailboxPermission -Identity  
xxxxxxxxxxxxx@xxxxxxxxxxxxx.com | Format-List
```

RunspaceId : 21c45434-a536-4487-986a-f105e2510a30

AccessRights : {FullAccess, ReadPermission}

Deny : False

InheritanceType : All

User : NT AUTHORITY\SELF

UserSid : S-1-5-10

Identity : Xxx xxxxx

IsInherited : False

IsValid : True

ObjectState : Unchanged

PS C:\Users\xxxxxxxxxxxxx.XXXXXXXXXXXXXXX>